SAFETY DATA SHEET

SECTION I IDENTIFICATION

PRODUCT NAME: SERVICE PRO WASHER SOLVENT -20
PRODUCT CODE: Fuid 2069 P/N: SP11201 - SP11203 Version 5
CHEMICAL FAMILY: ALCOHOL BASED CLEANER 4/22/2015

Meets GHS requirements

SUPPLIER: CUL-MAC INDUSTRIES, INC.

ADDRESS: 3720 S. VENOY

WAYNE, MI 48184

PHONE: (734) 728-9700

MANUFACTURED FOR: AIOD

ADDRESS: PO BOX 1861

MONTROSE, CO 81402 (800) 313-2463

EMERGENCY PHONE: (866) 214-4235 (3E COMPANY)

SECTION II HAZARD IDENTIFICATION

PHONE:









DANGER:

HAZARD STATEMENT: This material can not be made non-poisonous, may be fatal if swallowed.

May cause damage to the eyes and central nervous system.

Flammable liquid and vapor.

ROUTES OF ENTRY: Skin, Eyes, Ingestion, Inhalation

TARGET ORGANS: Central nervous system, Eyes

HAZARD H226: Flammable Liquid and Vapour STATEMENTS: H300: Fatal if Swallowed

H313: Fatal if Swallowed

H313: May be Harmful in Contact with Skin

H319: Causes Serious Eye Irritation
H335: May Cause Respiratory Irritation

H373: May Cause Damage to Organs Through Prolonged or Repeated Exposure

H400: Very Toxic to Aquatic Life

PRECAUTIONARY P210: Keep Away From Heat/Sparks/Open Flames/Hot Surfaces - NO Smoking

STATEMENTS: P233: Keep Container Tightly Closed

P240: Ground/Bond Container and Receiving Equipment

P241: Use Explosion-Proof Electrical/Venting/Lighting/.../Equipment.

P242: Use Only Non-Sparking Tools

P243: Take Precautionary Measures Against Static Discharge

P260: Do Not Breathe Dusts or Mists

P261: Avoid Breathing Dust/Fume/Gas/Mist/Vapours/Spray

P264: Wash Thoroughly After Handling

P270: Do Not Eat, Drink or Smoke When Using This Product
P271: Use Only Outdoors or in a Well-Ventilated Area

P273: Avoid Release to the Environment

P280: Wear Protective Gloves/Eye Protection/Face Protection

Pg. 2/6 PRODUCT CODE: Fuid 2069 P/N: SP11201 - SP11203 Version 5 CHEMICAL FAMILY: ALCOHOL BASED CLEANER 4/22/2015

Meets GHS requirements

RESPONSE P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated STATEMENTS: clothing. Rinse skin with water/shower.

> P370+P378: In case of fire: Use Dry Chemical, Alcohol Faom, or Carbon Dioxide

> > for extinction.

P301+P310: IF SWALLOWED: Immediately Call a POISON CENTER or Doctor.

P321: See Specific Treatment on this Label

P330: Rinse Mouth

P312: Call a POISON CENTER or Doctor if you Feel Unwell

P305+P351+P338: IF IN EYES: Rinse Cautiously with Water for Several Minutes. Remove Contact

Lenses, if Present and Easy to do so. Continue Rinsing.

P337+P313: If Eye Irritation Persists: Get Medical Advice P310: Immediately Call a POISON CENTER or Doctor

P304+P340: IF INHALED: Remove Victim to Fresh Air and Keep at Rest in a Position

Comfortable for Breathing

P314: Get Medical Advice if you Feel Unwell

P391: Collect Spillage

STORAGE P403+P233: Store in a well-ventilated place. Keep container tightly closed.

STATEMENTS: P405: Store Locked Up

> P403+P235: Store in a well-ventilated Place. Keep Cool.

DISPOSAL P501: Dispose of contents/container in accordance with all applicable federal,

STATEMENTS: state, and local regulations.

CARCINOGENICITY: None of the components present in this material at concentrations equal to or

greater than 0.1% are listed by IARC, NTP, OSHA, or ACGIH.

SECTION III COMPOSITION / INFORMATION ON INGREDIENTS				
CHEMICAL:	% by wt.	CAS#	OSHA PEL	ACGIH TLV
METHANOL	30 - 40	67-56-1	200 ppm	200 TWA

SECTION IV FIRST AID MEASURES

SKIN CONTACT: Remove contaminated clothing and wash before reuse. Wash under shower with soap

and water for at least 15 minutes. Seek medical attention if irritation occurs.

EYE CONTACT: Remove contact lenses, if worn. Flush immediately with gently running water for a

minimum of 15 minuteslifting upper and lower eyelids occasionally.

Seek medical attention.

INHALATION: Remove to fresh air immediately. Restore or assist breathing if necessary.

Obtain medical attention immediately. Symptoms of overexposure include

giddiness, intoxication, CNS depression, or coma.

INGESTION: Swallowing methanol is life threatening. Symptoms of methanol poisoning may be

delayed up to 24 hours. DO NOT induce vomitting or wait for symptoms to develop.

Seek medical attention immediately.

Pg. 3/6 PRODUCT CODE: Fuid 2069 P/N: SP11201 - SP11203 Version 5 CHEMICAL FAMILY: ALCOHOL BASED CLEANER 4/22/2015

Meets GHS requirements

SECTION V FIRE FIGHTING MEASURES

FLASH POINT: 88° F

FLAMMABILITY LIMITS: **LEL**: 6.0% (Methanol) UEL: 36.0%

EXTINGUISHING MEDIA: Dry Chemical; Alcohol Foam; Carbon Dioxide

SPECIAL PROCEDURES: Stay Upwind. Water spray may be ineffective on fire but can protect fire-fighters and

> cool closed containers. If water is used, use fog nozzles. Do not enter confined spaces without full bunker gear. Use NIOSH approved positive-pressure self-contained breathing apparatus. Do not walk through any spilled chemicals.

UNUSUAL HAZARDS: Methanol burns with a clear flame and can be diffucult to see in daylight.

Vapors can travel long distances along the ground to a source of ignition.

SECTION VI ACCIDENTAL RELEASE MEASURES

SPILL OR LEAK PROCEDURES:

Eliminate all ignition sources. Collect liquid with explosion proof pumps. Dilute with water for small spills, collect with a non-combustible solvent. Avoid release into the environment. Prevent from entering into soil, sewers, waterways and groundwater.

SECTION VII HANDLING & STORAGE

HANDLING: Keep away from oxidizers, heat, sparks, open flames and electrical equipment. Use

> only with adequate ventilation and avoid breathing vapors. Do not get on skin or in eyes. Wear the appropriate personal protection equipment when using. Empty containers should be treated as full since residue will remain and is equally hazardous.

STORAGE: Store in a well-ventilated area away from heat, sparks, open flames and strong

oxidizers. Do not store above 120°F and keep containers tightly sealed and

stored upright to prevent leaks.

SECTION VIII EXPOSURE CONTROLS - PERSONAL PROTECTION





VENTILATION: Local exhaust.

RESPIRATORY PROTECTION: Not generally needed

> **GLOVES:** Butyl and nitrile gloves.

EYE PROTECTION: Chemical splash goggles when transferring is taking place

CLOTHING AND FOOTWEAR Not generally needed

Pg. 4/6 PRODUCT CODE: Fuid 2069 P/N: SP11201 - SP11203 Version 5 4/22/2015 CHEMICAL FAMILY: ALCOHOL BASED CLEANER

Meets GHS requirements

SECTION IX PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT: 176° F pH: 9.0 - 10.0 -25° F FREEZING POINT: **SPECIFIC GRAVITY:** 0.92 VAPOR PRESSURE: N/A PERCENT VOLATILE: 99 APPEARANCE: Blue **VAPOR DENSITY** (AIR = 1): < 1 **SOLUBILITY IN WATER:** COMPLETE ODOR: Alcohol

EVAPORATION RATE: > 1

 $(BUTYL\ ACETATE = 1)$

SECTION X STABILITY AND REACTIVITY DATA

STABILITY: Stable under normal conditions.

HAZARDOUS POLYMERIZATION: Will not occur.

INCOMPATIBILITY: Strong oxidizers, strong acids, and strong bases. Keep (CONDITIONS TO AVOID) away from heat, sparks, open flame and static discharge.

HAZARDOUS DECOMPOSITION: Carbon Monoxide, Carbon Dioxide, Nitrogen Oxides.

SECTION XI TOXICOLOGICAL INFORMATION

Methanol: Acute oral toxicity (LD50) [Rat]: 5628 mg/kg (IUCLID)

Acute oral LDLO [Human]: 143 mg/kg (RTECS)

Acute dermal toxicity (LD50) [Rabbit]: 15800 mg/kg (RTECS)

Acute toxicity of the vapor (LC50) [Rat]: 64000 ppm 4 hours (RTECS)

Skin Irritation: Irritation, may cause burns on long term exposure Eye Irritation: Risk of serious damage to eyes. Risk of blindness

Genotoxicity In Vitro:

Ames Test: Negative (IUCLID)

Mutagenicity: Numerous endpoints were reported in RTECS which indicate

> mutangenicity and developmental effects in various species of bacteria, rats, and mice via oral, dermal, inhalation and intraperitoneal routes and levels of exposure.

Target Organs:

Single Exposure Central Nervous System

Repeated Exposure Central Nervous System, Skin, Eyes, Kindeys

NOTE: Symptoms may be delayed. Handle using good health practices.

Pg. 5/6 PRODUCT CODE: Fuid 2069 P/N: SP11201 - SP11203 Version 5 4/22/2015 CHEMICAL FAMILY: ALCOHOL BASED CLEANER

Meets GHS requirements

SECTION XII ECOLOGICAL INFORMATION



Methanol: Toxicity in Fish LC50: 15400 mg/L (ECOTOX: 96 hours, Bluegill Sunfish)

> Toxicity to Daphnia: >10000 mg/L (IUCLID: 24 hours, Daphnia Magna) Toxicity to Algae: 8000 mg/L (IUCLID: 16 hours, Scenedesmus Quadricauda) Toxicity to Bacteria: 6600 mg/L (IUCLID: 16 hours, Pseudomonas Flurorescens)

> > Readily Biodegradable; 99% (OECD Test Guidelines 301D, 30 day)

BOD: 600-1200 bg/g (IUCLID) COD: 1400 mg/g (IUCLID)

Mobility in Soil: This material is a mobile liquid

Do not allow this product to enter surface waters, wastewater or soil. Stability in water reported to be 2.2 years (IUCLID)

SECTION XIII DISPOSAL CONSIDERATIONS

WASTE DESCRIPTION: Wastes must be tested using methods described in 40 CFR Part 261 to

determine if it meets applicable definitions of hazardous wastes.

GENERAL DISPOSAL CONSIDERATIONS: Prevent methanol from entering sewers, confined spaces, drains, or

waterways. Clean up and dispose of waste in accordance with all federal,

state and local environmental regulations.

SECTION XIV TRANSPORT INFORMATION

U.S. Department of Transportation (DOT)

PROPER SHIPPING NAME: CLEANING COMPOUND, LIQUID (Gallons - Limited Quantity)

FLAMMABLE LIQUID, N.O.S. (Methanol Solution) Bulk

UN/NA NUMBER: 1993 **HAZARD CLASS:** 3 **PACKING GROUP:** II REPORTABLE QUANTITY (RQ lbs): 5000 lbs **EMERGENCY RESPONSE GUIDEBOOK:** 128 PLACARD/LABELS REQUIRED: Flammable

Pg. 6/6 PRODUCT CODE: Fuid 2069 P/N: SP11201 - SP11203 Version 5 4/22/2015 CHEMICAL FAMILY: ALCOHOL BASED CLEANER

Meets GHS requirements

SECTION XV REGULATORY INFORMATION

U.S. Federal Regulations

OSHA HAZARDOUS CHEMICAL: Yes **SARA 302 COMPONENTS:** None

> Immediate (X) Delayed (X) Fire (X) Reactive () SARA 311/312:

> > Sudden release of Pressure ()

SARA 313 COMPONENTS: Methanol CAS# 67-56-1

TSCA STATUS The intentional ingredients of this product are listed

CERCLA RQ 5000 LBS.

State and Local Regulations

CALIFORNIA PROPOSITION 65: The following statement is made in order to comply with the California

> Safe Drinking Water and Toxic Enforcment Act of 1986. This product contains a chemical known to the state of California to cause cancer,

> > birth defects, or other reproductive harm.

New Jersey RTK Label Information Methyl Alcohol (CAS: 67-56-1) Pennyslvania RTK Label Information Methanol (CAS: 67-56-1)

The Clean Air Act Ammendments of 1990 list Methanol as **Atmospheric Standards** a hazardous air pollutant.

SECTION XVI OTHER INFORMATION

HMIS: Health = 2; Flammability = 4; Reactivity = 0; Personal Protection Equipment = B

DISCLAIMER

The information herein has been from sources believed to be accurate, reliable and up to date to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources and do not make any warranties nor assume any liability from its use or misuse.

End of SDS