SAFETY DATA SHEET

SECTION I IDENTIFICATION SERVICE PRO YELLOW FAST WAX PRODUCT NAME: Pg. 1/3 PRODUCT CODE: P/N: SP6122AI Version 6 CHEMICAL FAMILY: MICRO EMULSION 8/8/2013 Meets GHS requirements SUPPLIER: CUL-MAC INDUSTRIES, INC. MANUFACTURED FOR: AIOD ADDRESS: 3720 S. VENOY ADDRESS: PO BOX 1861 WAYNE, MI 48184 MONTROSE, CO 81402 PHONE: (734) 728-9700 PHONE: (800) 313-2463 EMERGENCY PHONE: (866) 214-4235 (3E COMPANY) SECTION II HAZARD IDENTIFICATION **ROUTES OF ENTRY:** Skin, Eyes, Ingestion, Inhalation WARNING: **HEALTH HAZARDS:** SKIN - Mild irritant: EYES - Mild irritant. (acute & chronic) **INGESTION:** May cause gastrointestinal irritation, nausea, vomiting and diarrhea. INHALATION - Prolonged exposure may cause serious health problems. **CARCINOGENICITY:** Not listed by OSHA, IARC, OR NTP. SECTION III COMPOSITION / INFORMATION ON INGREDIENTS **CHEMICAL:** % by wt. CAS # OSHA PEL ACGIH TLV All ingredients are Non-Hazardous according to OSHA CFR 29. Part 1910.1200, Subpart Z SECTION IV FIRST AID MEASURES **SKIN CONTACT:** Remove contaminated clothing; wash under shower with soap and water for 15 minutes. Seek medical attention if irritation occurs. **EYE CONTACT:** Flush immediately with gently running water for a minimum of 15 minutes. Seek medical attention. **INGESTION:** DO NOT induce vomiting, feed egg whites or milk or drink large quantities of water. Call physician. **INHALATION:** Move to fresh air. SECTION V FIRE FIGHTING MEASURES FLASH POINT: > 205°F **EXTINGUISHING MEDIA:** Carbon Dioxide, Dry Chemical, Alcohol Foam **SPECIAL PROCEDURES:** Use water to cool with foam or dry chemical to extinguish.

UNUSUAL HAZARDS:

PRODUCT NAME: PRODUCT CODE: CHEMICAL FAMILY:

SERVICE PRO YELLOW FAST WAX P/N SP6122AI

MICRO EMULSION

Pg. 2/3 Version 6 8/8/2013 Meets GHS requirements

	TION VI ACCIDENTA	L RELEASE MEASURES	
SPILL OR LEAK PROCEDURES: Dike area and place absorbed material in			-
	Prevent spills from entering storm sewers or drains.		
	SECTION VII HAND	LING & STORAGE	
WASTE DISPOSAL METHOD:	Reuse or reprocess if possible. Dispose in accordance with all applicable regulations		
SPECIAL PRECAUTIONS:	Handle in accordance with good industrial hygiene and safety precautions.		
STORAGE:	Store in a cool well ventilated area. Seal container after use.		
SECTION VI	II EXPOSURE CONTR	OLS - PERSONAL PROTECTION	
VENTILATION:	Use good general ventilation to keep the airborne concentrations of vapors below their respective threshold limit value.		
RESPIRATORY PROTECTION:	Not generally required		
GLOVES:	Rubber gloves are recommended.		
EYE PROTECTION:	Chemical splash goggles when transferring is taking place.		
CLOTHING AND FOOTWEAR:	Not generally needed.		
SECTIO	N IX PHYSICAL/CHE	MICAL CHARACTERISTICS	
BOILING POINT:	> 212° F	pH:	N/A
FREEZING POINT:	N/A	SPECIFIC GRAVITY:	1.00
VAPOR PRESSURE:	< 1	PERCENT VOLATILE:	< 35
VAPOR DENSITY (AIR = 1):	N/A	APPEARANCE:	Yellow Liquid
SOLUBILITY IN WATER:	Insoluble	ODOR:	Sweet
EVAPORATION RATE	N/A		
		ND REACTIVITY DATA	
STABILITY:	Prod	uct is stable under normal handling condition	ons.
HAZARDOUS POLYMERIZATION:	Will not occur.		
		Strong Oxidizers	
INCOMPATIBILITY:	Extreme temperatures or direct sunlight.		
INCOMPATIBILITY: (CONDITIONS TO AVOID)		Extreme temperatures or direct sunlight.	

PRODUCT NAME: PRODUCT CODE: CHEMICAL FAMILY:

SERVICE PRO YELLOW FAST WAX P/N SP6122AI

MICRO EMULSION

Pg. 3/3 Version 6 8/8/2013 Meets GHS requirements

SECTION XI TOXICOLOGICAL INFORMATION

This product has not been tested as a whole

SECTION XII ECOLOGICAL INFORMATION

This product has not been tested as a whole

SECTION XIII DISPOSAL CONSIDERATIONS

WASTE DESCRIPTION:

Wastes must be tested using methods described in 40 CFR Part 261 to determine if it meets applicable definitions of hazardous wastes.

GENERAL DISPOSAL CONSIDERATIONS:

Clean up and dispose of waste in accordance with all federal, state, and local environmental regulations.

COMPOUNDS, CLEANING LIQUIDS

SECTION XIV TRANSPORT INFORMATION

PROPER SHIPPING NAME:

UN/NA NUMBER: HAZARD CLASS: **PACKING GROUP: REPORTABLE QUANTITY: EMERGENCY RESPONSE GUIDEBOOK:** PLACARD/LABELS REQUIRED:

SECTION XV REGULATORY INFORMATION

OSHA HAZARDOUS CHEMICAL: SARA 302 COMPONENTS: SARA 311/312:

NO

Immediate () Delayed () Fire () Reactive () Sudden release of Pressure () None

SARA 313 COMPONENTS:

SECTION XVI OTHER INFORMATION

HMIS:

Health = 2; Flammability = 0; Reactivity = 0

DISCLAIMER

The information herein has been from sources believed to be accurate, reliable and up to date to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources and do not make any warranties nor assume any liability from its use or misuse.

End of SDS

none