

# SAFETY DATA SHEET

## 1. Identification

**Product identifier:** Service Pro SP9301 Tough Clean

**Other means of identification**

**SDS number:** RE1000040241

**Recommended restrictions**

**Product Use:** Cleaner

**Restrictions on use:** Not known.

**Manufacturer/Importer/Distributor Information**

**Manufacturer**

**Company Name:** Association of Independent Oil Distributors  
**Address:** P.O. Box 1861  
Montrose, CO 81402-1861  
**Telephone:** 800-313-2463  
**Fax:**

**Emergency telephone number:** 1-866-836-8855

## 2. Hazard(s) identification

**Hazard Classification**

**Health Hazards**

Serious Eye Damage/Eye Irritation	Category 2A
Toxic to reproduction	Category 1B

**Environmental Hazards**

Acute hazards to the aquatic environment	Category 3
--	------------

**Label Elements**

**Hazard Symbol:**



**Signal Word:** Danger

**Hazard Statement:** Causes serious eye irritation.  
May damage fertility or the unborn child.  
Harmful to aquatic life.

### Precautionary Statements

**Prevention:** Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Avoid release to the environment.

**Response:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF exposed or concerned: Get medical advice/attention.

**Storage:** Store locked up.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Hazard(s) not otherwise classified (HNOC):** None.

### 3. Composition/information on ingredients

#### Mixtures

Chemical Identity	CAS number	Content in percent (%)*
Boric acid, sodium salt	12179-04-3	1 - <5%
Ethanol, 2-butoxy-	111-76-2	1 - <5%
Benzenesulfonic acid, dodecyl-, sodium salt (1:1)	25155-30-0	1 - <5%
Alcohols, C12-15, ethoxylated	68131-39-5	1 - <5%
Sodium hydroxide (Na(OH))	1310-73-2	0.1 - <1%

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

### 4. First-aid measures

**Ingestion:** Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

**Inhalation:** Move to fresh air.

**Skin Contact:** Wash skin thoroughly with soap and water. If skin irritation occurs: Get medical advice/attention.

**Eye contact:** Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.

#### Most important symptoms/effects, acute and delayed

**Symptoms:** No data available.

**Hazards:** No data available.

#### Indication of immediate medical attention and special treatment needed

**Treatment:** No data available.

## 5. Fire-fighting measures

**General Fire Hazards:** No unusual fire or explosion hazards noted.

### Suitable (and unsuitable) extinguishing media

**Suitable extinguishing media:** Use fire-extinguishing media appropriate for surrounding materials.

**Unsuitable extinguishing media:** Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards arising from the chemical:** During fire, gases hazardous to health may be formed.

### Special protective equipment and precautions for firefighters

**Special fire fighting procedures:** No data available.

**Special protective equipment for fire-fighters:** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

## 6. Accidental release measures

**Personal precautions, protective equipment and emergency procedures:** No data available.

**Methods and material for containment and cleaning up:** Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Dike far ahead of larger spill for later recovery and disposal.

**Notification Procedures:** Dike for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk.

**Environmental Precautions:** Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer.

## 7. Handling and storage

**Precautions for safe handling:** Avoid contact with eyes. Wash hands thoroughly after handling. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required.

**Conditions for safe storage, including any incompatibilities:** Store locked up.

## 8. Exposure controls/personal protection

**Control Parameters**

**Occupational Exposure Limits**

Chemical Identity	Type	Exposure Limit Values	Source
Boric acid, sodium salt - Inhalable fraction.	TWA	2 mg/m <sup>3</sup>	US. ACGIH Threshold Limit Values (02 2012)
	STEL	6 mg/m <sup>3</sup>	US. ACGIH Threshold Limit Values (02 2012)
Boric acid, sodium salt	REL	1 mg/m <sup>3</sup>	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	TWA	10 mg/m <sup>3</sup>	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	10 mg/m <sup>3</sup>	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	TWA PEL	5 mg/m <sup>3</sup>	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)
Boric acid, sodium salt - Particulate.	AN ESL	2 µg/m <sup>3</sup>	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	ST ESL	20 µg/m <sup>3</sup>	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
Ethanol, 2-butoxy-	TWA	20 ppm	US. ACGIH Threshold Limit Values (2008)
	TWA	25 ppm 120 mg/m <sup>3</sup>	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	REL	5 ppm 24 mg/m <sup>3</sup>	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	50 ppm 240 mg/m <sup>3</sup>	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA PEL	20 ppm 97 mg/m <sup>3</sup>	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)
	TWA	25 ppm 120 mg/m <sup>3</sup>	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	AN ESL	760 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL	3,700 µg/m <sup>3</sup>	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	ST ESL	2,900 µg/m <sup>3</sup>	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	ST ESL	600 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
Sodium hydroxide (Na(OH))	Ceiling	2 mg/m <sup>3</sup>	US. ACGIH Threshold Limit Values (2008)
	Ceiling	2 mg/m <sup>3</sup>	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	Ceil_Time	2 mg/m <sup>3</sup>	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	2 mg/m <sup>3</sup>	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	Ceiling	2 mg/m <sup>3</sup>	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	Ceiling	2 mg/m <sup>3</sup>	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)
Sodium hydroxide (Na(OH)) - Particulate.	AN ESL	2 µg/m <sup>3</sup>	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	ST ESL	20 µg/m <sup>3</sup>	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)

**Biological Limit Values**

Chemical Identity	Exposure Limit Values	Source
Ethanol, 2-butoxy- (Butoxyacetic acid (BAA), with hydrolysis: Sampling time: End of shift.)	200 mg/g (Creatinine in urine)	ACGIH BEL (03 2013)

**Appropriate Engineering Controls** No data available.

**Individual protection measures, such as personal protective equipment**

**General information:** Provide easy access to water supply and eye wash facilities. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If exposure limits have not been established, maintain airborne levels to an acceptable level.

**Eye/face protection:** Wear safety glasses with side shields (or goggles).

**Skin Protection**

**Hand Protection:** No data available.

**Other:** No data available.

**Respiratory Protection:** In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.

**Hygiene measures:** Avoid contact with eyes. Observe good industrial hygiene practices. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use.

**9. Physical and chemical properties**

**Appearance**

**Physical state:** liquid  
**Form:** liquid  
**Color:** No data available.  
**Odor:** No data available.  
**Odor threshold:** No data available.  
**pH:** No data available.  
**Melting point/freezing point:** estimated 20 °C  
**Initial boiling point and boiling range:** Estimated 100 °C  
**Flash Point:** estimated > 100 °C  
**Evaporation rate:** No data available.  
**Flammability (solid, gas):** No data available.

**Upper/lower limit on flammability or explosive limits**

**Flammability limit - upper (%):** No data available.  
**Flammability limit - lower (%):** No data available.

<b>Explosive limit - upper (%):</b>	No data available.
<b>Explosive limit - lower (%):</b>	No data available.
<b>Vapor pressure:</b>	No data available.
<b>Vapor density:</b>	No data available.
<b>Density:</b>	0.92 g/cm <sup>3</sup>
<b>Relative density:</b>	No data available.
<b>Solubility(ies)</b>	
<b>Solubility in water:</b>	No data available.
<b>Solubility (other):</b>	No data available.
<b>Partition coefficient (n-octanol/water):</b>	No data available.
<b>Auto-ignition temperature:</b>	No data available.
<b>Decomposition temperature:</b>	No data available.
<b>Viscosity:</b>	No data available.

## 10. Stability and reactivity

<b>Reactivity:</b>	No data available.
<b>Chemical Stability:</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions:</b>	No data available.
<b>Conditions to avoid:</b>	Avoid heat or contamination.
<b>Incompatible Materials:</b>	No data available.
<b>Hazardous Decomposition Products:</b>	No data available.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation:</b>	No data available.
<b>Skin Contact:</b>	No data available.
<b>Eye contact:</b>	No data available.
<b>Ingestion:</b>	No data available.

### Symptoms related to the physical, chemical and toxicological characteristics

<b>Inhalation:</b>	No data available.
<b>Skin Contact:</b>	No data available.
<b>Eye contact:</b>	No data available.
<b>Ingestion:</b>	No data available.

## Information on toxicological effects

### Acute toxicity (list all possible routes of exposure)

**Oral**  
**Product:** ATEmix: 41,121.06 mg/kg

**Dermal**  
**Product:** ATEmix: 21,060.94 mg/kg

**Inhalation**  
**Product:** ATEmix: 800 mg/l  
ATEmix : 200 mg/l

### Repeated dose toxicity

**Product:** No data available.

#### Specified substance(s):

Ethanol, 2-butoxy- NOAEL (Rabbit(Female, Male), Dermal, 90 d): > 150 mg/kg Dermal  
Experimental result, Key study  
NOAEL (Rat(Female), Oral, 90 d): < 82 mg/kg Oral Experimental result, Key  
study  
NOAEL (Rat(Female), Inhalation, 2 yr): < 31 ppm(m) Inhalation  
Experimental result, Key study  
Alcohols, C12-15,  
ethoxylated NOAEL (Rat(Female, Male), Oral, 90 d): 500 mg/kg Oral Read-across based  
on grouping of substances (category approach), Key study

### Skin Corrosion/Irritation

**Product:** No data available.

#### Specified substance(s):

Ethanol, 2-butoxy- in vivo (Rabbit): Irritating Experimental result, Key study  
Alcohols, C12-15,  
ethoxylated in vivo (Rabbit): Not irritant Experimental result, Key study

### Serious Eye Damage/Eye Irritation

**Product:** No data available.

#### Specified substance(s):

Ethanol, 2-butoxy- Rabbit, 24 - 72 hrs: Irritating  
Alcohols, C12-15,  
ethoxylated Rabbit, 24 - 72 hrs: Not irritating  
Sodium hydroxide  
(Na(OH)) Corrosive  
Rabbit, 2 d: 10% Sodium Hydroxide- Category 1; 0.5% Sodium Hydroxide-  
Slightly irritating to eyes

### Respiratory or Skin Sensitization

**Product:** No data available.

**Specified substance(s):**

Ethanol, 2-butoxy-  
Alcohols, C12-15,  
ethoxylated

Skin sensitization:, in vivo (Guinea pig): Non sensitising  
Skin sensitization:, in vivo (Guinea pig): Non sensitising

**Carcinogenicity**

**Product:** No data available.

**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:**

No carcinogenic components identified

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):**

No carcinogenic components identified

**Germ Cell Mutagenicity**

**In vitro**

**Product:** No data available.

**In vivo**

**Product:** No data available.

**Reproductive toxicity**

**Product:** No data available.

**Specified substance(s):**

Boric acid, sodium salt

May cause adverse reproductive effects - such as infertility based on animal data.

**Specific Target Organ Toxicity - Single Exposure**

**Product:** No data available.

**Specific Target Organ Toxicity - Repeated Exposure**

**Product:** No data available.

**Aspiration Hazard**

**Product:** No data available.

**Other effects:** No data available.

**12. Ecological information**

**Ecotoxicity:**

**Acute hazards to the aquatic environment:**



**Fish**

**Product:** No data available.

**Specified substance(s):**

Ethanol, 2-butoxy- LC 50 (Oncorhynchus mykiss, 96 h): 1,474 mg/l Experimental result, Key study

Benzenesulfonic acid, dodecyl-, sodium salt (1:1) LC 50 (Catfish (Rita rita), 2 h): > 10 mg/l Mortality  
LC 50 (Catfish (Rita rita), 4 h): > 10 mg/l Mortality  
LC 50 (Catfish (Rita rita), 6 h): 9.136 - 10.098 mg/l Mortality  
LC 50 (Catfish (Rita rita), 8 h): 8.539 - 9.323 mg/l Mortality  
LC 50 (Catfish (Rita rita), 10 h): 8.381 - 9.262 mg/l Mortality

Alcohols, C12-15, ethoxylated LC 50 (Oncorhynchus mykiss, 96 h): 2.4 mg/l Experimental result, Supporting study

Sodium hydroxide (Na(OH)) LC 50 (Western mosquitofish (Gambusia affinis), 96 h): 125 mg/l Mortality  
LC 50 (Gambusia affinis, 96 h): < 180 mg/l Experimental result, Supporting study

**Aquatic Invertebrates**

**Product:** No data available.

**Specified substance(s):**

Ethanol, 2-butoxy- EC 50 (Daphnia magna, 48 h): 1,550 mg/l Experimental result, Key study

Benzenesulfonic acid, dodecyl-, sodium salt (1:1) EC 50 (Water flea (Daphnia magna), 24 h): 12 mg/l Intoxication  
EC 50 (Water flea (Daphnia magna), 24 h): 17 mg/l Intoxication  
EC 50 (Water flea (Ceriodaphnia dubia), 48 h): 3.26 - 14.51 mg/l Intoxication  
LC 50 (Water flea (Moina macrocopa), 3 h): 2.1 mg/l Mortality  
LC 50 (Water flea (Ceriodaphnia dubia), 7 d): 19.87 mg/l Mortality

Alcohols, C12-15, ethoxylated EC 50 (Daphnia magna, 48 h): 0.14 mg/l Experimental result, Key study

Sodium hydroxide (Na(OH)) EC 50 (Water flea (Ceriodaphnia dubia), 48 h): 34.59 - 47.13 mg/l Intoxication

**Chronic hazards to the aquatic environment:**

**Fish**

**Product:** No data available.

**Specified substance(s):**

Ethanol, 2-butoxy- NOAEL (Danio rerio): > 100 mg/l Experimental result, Key study

Alcohols, C12-15, ethoxylated NOAEL (Lepomis macrochirus): 0.33 mg/l Experimental result, Key study

**Aquatic Invertebrates**

**Product:** No data available.

**Specified substance(s):**

Ethanol, 2-butoxy- EC 50 (Daphnia magna): 297 mg/l Experimental result, Key study  
EC 10 (Daphnia magna): 134 mg/l Experimental result, Key study

**Toxicity to Aquatic Plants**

**Product:** No data available.

**Specified substance(s):**

Benzenesulfonic acid, dodecyl-, sodium salt (1:1)	EC 50 (Green algae ( <i>Chlamydomonas variabilis</i> ), 4 h): 3 mg/l Intoxication EC 50 (Green algae ( <i>Chlamydomonas variabilis</i> ), 4 h): 3.7 mg/l Intoxication EC 50 (Green algae ( <i>Chlamydomonas variabilis</i> ), 4 h): 4.1 mg/l Intoxication
---	---

**Persistence and Degradability**

**Biodegradation**

**Product:** No data available.

**Specified substance(s):**

Ethanol, 2-butoxy- 90.4 % Detected in water. Experimental result, Key study

Alcohols, C12-15, ethoxylated 72 % (28 d) Detected in water. Experimental result, Key study

**BOD/COD Ratio**

**Product:** No data available.

**Bioaccumulative potential**

**Bioconcentration Factor (BCF)**

**Product:** No data available.

**Specified substance(s):**

Benzenesulfonic acid, dodecyl-, sodium salt (1:1)	Carp ( <i>Cyprinus carpio</i> ), Bioconcentration Factor (BCF): 400 (Not reported) Carp ( <i>Cyprinus carpio</i> ), Bioconcentration Factor (BCF): 16 (Not reported) Bluegill ( <i>Lepomis macrochirus</i> ), Bioconcentration Factor (BCF): 94 (Flow through) Bluegill ( <i>Lepomis macrochirus</i> ), Bioconcentration Factor (BCF): 220 (Flow through) Carp ( <i>Cyprinus carpio</i> ), Bioconcentration Factor (BCF): 9.7 - 16 (Static)
---	---

Alcohols, C12-15, ethoxylated Pimephales promelas, Bioconcentration Factor (BCF): 237 Aquatic sediment Read-across from supporting substance (structural analogue or surrogate), Key study

**Partition Coefficient n-octanol / water (log Kow)**

**Product:** No data available.

**Specified substance(s):**

Alcohols, C12-15, ethoxylated Log Kow: 2.03 - 6.24 No QSAR, Key study

**Mobility in soil:** No data available.

**Known or predicted distribution to environmental compartments**

Boric acid, sodium salt	No data available.
Ethanol, 2-butoxy-	No data available.
Benzenesulfonic acid, dodecyl-, sodium salt (1:1)	No data available.
Alcohols, C12-15, ethoxylated	No data available.
Sodium hydroxide (Na(OH))	No data available.

**Other adverse effects:** Harmful to aquatic organisms.

### 13. Disposal considerations

**Disposal instructions:** Discharge, treatment, or disposal may be subject to national, state, or local laws.

**Contaminated Packaging:** No data available.

### 14. Transport information

**DOT**

Not regulated.

**IMDG**

Not regulated.

**IATA**

Not regulated.

### 15. Regulatory information

#### US Federal Regulations

**Restrictions on use:** Not known.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

##### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

#### CERCLA Hazardous Substance List (40 CFR 302.4):

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Benzenesulfonic acid, dodecyl-, sodium salt (1:1)	lbs. 1000
Sodium hydroxide (Na(OH))	lbs. 1000

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

##### Hazard categories

Immediate (Acute) Health Hazards  
Delayed (Chronic) Health Hazard  
Serious Eye Damage/Eye Irritation  
Toxic to reproduction

##### SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

##### SARA 304 Emergency Release Notification

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Ethanol, 2-butoxy- Benzenesulfonic acid, dodecyl-, sodium salt (1:1)	lbs. 1000
Sodium hydroxide (Na(OH))	lbs. 1000

**SARA 311/312 Hazardous Chemical**

<u>Chemical Identity</u>	<u>Threshold Planning Quantity</u>
Boric acid, sodium salt	10000 lbs
Ethanol, 2-butoxy-	10000 lbs
Benzenesulfonic acid, dodecyl-, sodium salt (1:1)	10000 lbs
Alcohols, C12-15, ethoxylated	10000 lbs
Sodium hydroxide (Na(OH))	10000 lbs

**SARA 313 (TRI Reporting)**

<u>Chemical Identity</u>	<u>Reporting threshold for other users</u>	<u>Reporting threshold for manufacturing and processing</u>
Ethanol, 2-butoxy-	N230 lbs	N230 lbs.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):  
Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)  
US State Regulations**

**US. California Proposition 65**

No ingredient requiring a warning under CA Prop 65.

**US. New Jersey Worker and Community Right-to-Know Act**

Chemical Identity

Boric acid, sodium salt  
Ethanol, 2-butoxy-  
Benzenesulfonic acid, dodecyl-, sodium salt (1:1)

**US. Massachusetts RTK - Substance List**

No ingredient regulated by MA Right-to-Know Law present.

**US. Pennsylvania RTK - Hazardous Substances**

Chemical Identity

Boric acid, sodium salt  
Ethanol, 2-butoxy-  
Benzenesulfonic acid, dodecyl-, sodium salt (1:1)

**US. Rhode Island RTK**

No ingredient regulated by RI Right-to-Know Law present.

**International regulations**

**Montreal protocol**

Not applicable

**Stockholm convention**

Not applicable

**Rotterdam convention**

Not applicable

**Kyoto protocol**

Not applicable

**Inventory Status:**

EINECS, ELINCS or NLP:	Not in compliance with the inventory.
China Inv. Existing Chemical Substances:	Not in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI):	Not in compliance with the inventory.
Canada NDSL Inventory:	Not in compliance with the inventory.
Philippines PICCS:	Not in compliance with the inventory.
New Zealand Inventory of Chemicals:	On or in compliance with the inventory
Japan ISHL Listing:	Not in compliance with the inventory.
Japan Pharmacopoeia Listing:	Not in compliance with the inventory.
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory
Australia AICS:	On or in compliance with the inventory
Canada DSL Inventory List:	On or in compliance with the inventory
Japan (ENCS) List:	On or in compliance with the inventory
US TSCA Inventory:	On or in compliance with the inventory
Mexico INSQ:	On or in compliance with the inventory
Ontario Inventory:	On or in compliance with the inventory

<b>16. Other information, including date of preparation or last revision</b>
--

<b>Issue Date:</b>	08/22/2019
<b>Revision Information:</b>	No data available.
<b>Version #:</b>	1.0
<b>Further Information:</b>	No data available.
<b>Disclaimer:</b>	This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.