Safety Data Sheet

Classified in accordance 29 CFR 1910.1200

1. Product Identification			
Product Information:	1000040189		
Product Identifier:	PROFESSIONAL CARB SPRAY		
Recommended Use:	Cleaner		
Manufacturer/Importer/Distributor Information:	Association of Independent Oil Distributors 203 W Main St Montrose, CO 81402 US 800-313-2463		
Emergency Telephone:	866-836-8855		

2. Hazard(s) identification

Classification

Flammable Aerosol, category 1 Eye Irritation, category 2A STOT, single exposure, category 3, NE Carcinogenicity, category 2 Reproductive Toxicity, category 2 STOT, repeated exposure, category 2

Label elements

HAZARD PICTOGRAMS



SIGNAL WORD Danger

GHS HAZARD STATEMENTS

H222	Extremely flammable aerosol.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H361	Suspected of damaging fertility or the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.

GHS PRECAUTIONARY STATEMENTS

Prevention	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood

P203	Obtain, read and follow all safety instructions before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P260	Do not breathe fumes, mists, vapours or spray.
P264+P265	Wash hands thoroughly after handling. Do not touch eyes.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear eye protection, face protection, protective gloves, and protective clothing
Response	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P318	IF exposed or concerned, get medical help.
P319	Get medical help if you feel unwell.
P337+P317	If eye irritation persists: Get medical help.
Storage	
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F.
Disposal	
P501	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Other Information	

3. Composition/Information on Ingredients

Mixtures

Chemical Identity	CAS Number	Content in Percent (%)*
Acetone	67-64-1	75-100
Carbon Dioxide	124-38-9	2.5-10
Toluene	108-88-3	2.5-10
2-Butoxyethanol	111-76-2	1.0-2.5
Xylene	1330-20-7	1.0-2.5
Ethyl Benzene	100-41-4	0.1-1.0

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition Comments: Other components are not hazardous or are below required disclosure limits.

The exact concentration has been withheld as a trade secret.

4. First-aid Measures

SKIN CONTACT: Remove contaminated clothing and wash the skin thoroughly with soap and water after work.

EYE CONTACT: Rinse immediately with plenty of water.

INHALATION: Move to fresh air.

INGESTION: Rinse mouth.

IMPORTANT SYMPTOMS: No data available

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED: Get medical attention if symptoms occur.

None

5. Fire-fighting Measures

EXTINGUISHING MEDIA: Use fire-extinguishing media appropriate for surrounding materials.

UNSUITABLE EXTINGUISHING MEDIA: Do not use water jet as an extinguisher, as this will spread the fire.

UNUSUAL FIRE AND EXPLOSION HAZARDS: No data available

SPECIAL FIREFIGHTING PROCEDURES: No data available

6. Accidental Release Measures

PERSONAL PRECAUTIONS : Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANUP: Stop the flow of material, if this is without risk. Absorb with sand or other inert absorbent.

ENVIRONMENTAL PRECAUTIONS: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillages.

7. Handling and Storage

HANDLING: Keep away from sources of ignition - No smoking. Keep away from open flames, hot surfaces and sources of ignition. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

SAFE HANDLING ADVICE: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

STORAGE: Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

NFPA 30B: Aerosol Level 2

8. Exposure Controls/Personal Protection

Ingredients with Occupational Exposure Limits

• .	•			
Chemical Name	<u>TLV-TWA</u>	TLV-STEL	PEL-TWA	PEL-CEILING
Acetone	250 ppm	500 ppm	1000 ppm	N.E.
Carbon Dioxide	5,000 ppm	30000 ppm	5000 ppm	N.E.
Toluene	20 ppm	N.E.	200 ppm	300 ppm
2-Butoxyethanol	20 ppm	N.E.	50 ppm	N.E.
Xylene	20 ppm	N.E.	100 ppm	N.E.
Ethyl Benzene	20 ppm	N.E.	100 ppm	N.E.

Further Advice: MEL = Maximum Exposure Limit OES = Occupational Exposure Standard SUP = Supplier's Recommendation Sk = Skin Sensitizer N.E. = Not Established

ENGINEERING CONTROLS: No data available.

Personal Protection

EYE/FACE PROTECTION: Wear goggles/face shield.

SKIN PROTECTION: No data available

RESPIRATORY PROTECTION: Seek advice from local supervisor. In case of inadequate ventilation use suitable respirator.

HYGIENIC PRACTICES: When using do not smoke. Observe good industrial hygiene practices.

9. Physical and Chemical Properties

Appearance:

, pp caraties,	
Physical State:	Liquid
Form:	Spray Aerosol
Color:	Colorless
Odor:	Solvent
Odor Threshold:	No data available
pH:	No data available
Freeze Point, °C:	No data available
Boiling Point, °C:	56
Flash Point, °C:	-20
Flammability (solid, gas):	No data available
Evaporation Rate:	No data available
Combustibility:	Supports Combustion
Explosive Limits, %:	0.9 - 12.8
Vapor Pressure @20°C, PSI:	40-60
Vapor Density:	No data available
Relative Density:	0.858
Solubility in Water:	No data available
Partition Coefficient, n-octanol/water:	No data available
Auto-Ignition Temperature, °C:	No data available
Decomposition temperature, °C:	No data available
Kinematic Viscosity:	No data available

10. Stability and Reactivity

REACTIVITY: No data available.

STABILITY: Material is stable under normal conditions.

POSSIBILITY OF HAZARDOUS REACTIONS: No data available.

CONDITIONS TO AVOID: Avoid heat or contamination

INCOMPATIBILITY: No data available

HAZARDOUS DECOMPOSITION PRODUCTS: No data available.

11. Toxicological Information

Information on Likely Routes of Exposure

IMPORTANT SYMPTOMS: No data available

SKIN CONTACT EFFECTS: May cause irritation on prolonged or repeated contact.

EYE CONTACT EFFECTS: May cause slight irritation with tearing.

INHALATION EFFECTS: Inhalation of high concentrations of mists may cause irritation of the nose throat and upper respiratory tract.

INGESTION EFFECTS: Ingestion may cause irritation of the mucous membranes, esophagus and stomach.

CHRONIC HAZARDS: No data available

Carcinogenicity: contains 1 component (Ethyl Benzene) present at a level greater or equal to 0.1% that have been identified as possible carcinogenic to humans by IARC (Group 2B).

The following values are calculated based on chapter 3.1 of the GHS document. The product itself has not been tested.

ATE ORAL	14,583 mg/kg
ATE DERMAL	15,644 mg/kg
ATE INHALATION	250 mg/kg

Acute Toxicity Values

The acute effects of this product have not been tested. Data on individual components are tabulated below				
CAS-No.	Chemical Name	Oral LD50	Dermal LD50	Vapor LC50
67-64-1	Acetone	5,800 mg/kg	7,426 mg/kg	50.1 mg/l
124-38-9	Carbon Dioxide	5000 mg/kg	5000 mg/kg	100 mg/l
108-88-3	Toluene	5,580 mg/kg	5,000 mg/kg	28.1 mg/l
111-76-2	2-Butoxyethanol	500 mg/kg	1100 mg/kg	11 mg/l
1330-20-7	Xylene	3,523 mg/kg	1,100 mg/kg	11 mg/l
100-41-4	Ethyl Benzene	3,500 mg/kg	5,000 mg/kg	11 mg/l

N.I. = No Information

Skin Corrosion & Irritation:		
Product:		No data available
Serious Eye Damage & Irritation:		
Product:		No data available
Components:		
2-Butoxyethanol	111-76-2	Causes serious eye irritation.
Acetone	67-64-1	Causes serious eye irritation.
Respiratory or Skin Sensitization:		
Product:		No data available
STOT-Single Exposure:		
Product:		No data available
Components:		
Toluene	108-88-3	May cause drowsiness or dizziness.
Acetone	67-64-1	May cause drowsiness or dizziness.
STOT-Repeated Exposure:		
Product:		No data available
Components:		
Toluene	108-88-3	May cause damage to organs through prolonged or repeated exposure.
Aspiration Hazard:		
Product:		No data available
Carcinogenicity:		
Product:		No data available
Components:		
Ethyl Benzene	100-41-4	Suspected of causing cancer

Reproductive Toxicity:		
Product:		No data available
Components: Toluene	108-88-3	Suspected of damaging fertility or the unborn child.
Germ Cell Mutagenicity: Product:		No data available

12. Ecological Information

ECOLOGICAL INFORMATION: No data available

PERSISTENCE: No data available

BIOACCUMULATE: No data available

MOBILITY IN SOIL: No data available

OTHER ECOLOGICAL: No data available

13. Disposal Information

DISPOSAL INFORMATION: Consult with your local, regional and federal agencies for information on proper disposal. **CONTAMINATED PACKAGING :** Consult with your local, regional and federal agencies for information on proper disposal.

14. Transport Information

SPECIAL TRANSPORT PRECAUTIONS: No data available

DOT

UN Number:	UN1950
Proper Shipping Name:	AEROSOLS, FLAMMABLE
Technical Name:	N/A
Hazard Class(es)	
Class:	2.1
Subsidiary Risk	N/A
Packing Group:	N/A
ΙΑΤΑ	
UN Number:	UN1950
Proper Shipping Name:	AEROSOLS, FLAMMABLE
Technical Name:	N/A
Hazard Class(es)	
Class:	2.1
Subsidiary Risk:	N/A
Packing Group:	N/A
IMDG	
UN Number:	UN1950
Proper Shipping Name:	AEROSOLS, FLAMMABLE
Technical Name:	N/A

2.1

N/A

N/A

Hazard Class(es) Class:

Packing Group:

Subsidiary Risk:

The classification shown In this section may be eligible for use of an exception, such as 'Limited Quantity', per the dangerous goods regulations. The shipper of this product should consult the applicable mode's regulation for the UN number displayed above to determine if any exceptions are available and may be utilized, at the shipper's discretion.

15. Regulatory Information

CHEMICAL INVENTORY STATUS:

TSCA On or in compliance with the inventory

DSL

CALIFORNIA PROPOSITION 65 CARCINOGENS AND REPRODUCTIVE TOXINS:



Warning: This product may contain ingredients known to the state of California to cause Cancer or Reproductive Harm.

All ingredients in this product are listed on the DSL or are exempt.

Chemical Name	CAS-No.
Toluene	108-88-3
Ethyl Benzene	100-41-4
Ethylene Glycol	107-21-1

16. Other Information

Revision Date: 12/16/2022

Datasheet produced by: Regulatory Department

Legend

- N/A. Not Applicable, N.E. Not Established, N.D. Not Determined, N.I. No Information
- TLV Threshold Limit Values (TLVs®), as established by the American Conference of Governmental Industrial Hygienists (ACGIH®)
- PEL Permissible Exposure Limit, as established by the U.S. Occupational Safety and Health Administration (OSHA), as amended

TSCA - U.S. Toxic Substance Control Act

DSL - Canada Environmental Protection Act: Domestic Substance List

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.