

# SERVICE PRO® GLOBAL FULL SYNTHETIC MULTI-VEHICLE ATF

Manufactured with highly refined base oils and industry leading additive chemistry

**DESCRIPTION:**

SERVICE PRO® Global Full Synthetic Multi-Vehicle ATF represents the latest technology in full synthetic automatic transmission fluids. It is specifically formulated for the newest generation of high efficiency transmissions and is also a fuel efficient choice for older models as well.

SERVICE PRO® Global Full Synthetic Multi-Vehicle ATF meets the requirements of JASO M315-2013 1A-LV specification. Also suitable for use in many applications including many General Motors, Ford, FCA/Chrysler, Toyota/Lexus/ Scion (T-III, IV, WS), Nissan/Infiniti (Matic D, J, K, S, W), and Honda/Acura (ATF Z-1, DW-1) transmissions, as well as transmissions installed in Hyundai/ Kia (SP-II, III, IV, Red-1K), Isuzu (SCS, ATF II, III), Jaguar, Land Rover, Mazda(F-1, FZ, M-III, T-IV, MV), Mercedes-Benz (236.10, 236.3, 236.5, 236.6, 236.7, 236.9, 236.15), Mitsubishi (Diamond SP, II, III, ATF J2, J3), Porsche, BMW(LA2634, LT71141), MINI, SAAB, Subaru (HP), Suzuki, Volvo and VW/Audi (09A, 09G) cars and light trucks. It is also suitable for transfer case applications calling for Ford XL-12 fluid.

This product is NOT recommended for Ford Type F, DEXRON® HP, Continuously Variable Transmissions (CVT) or Double Clutch Transmissions (DCT) which require specialized OEM fluids. Check owner's manual for specific recommendations.

**PERFORMANCE BENEFITS:**

- Improved oxidation and thermal stability
- Full synthetic formula
- Outstanding low temperature performance
- Superior anti-wear protection
- Improved torque transfer

Note: This product is not for sale or use in the State of California.

**TYPICAL PROPERTIES\*:**

|                        |        |
|------------------------|--------|
| API Gravity            | 34.8   |
| Sp. Gr. @ 60° F        | 0.8468 |
| Flash. COC. ° F        | 400    |
| Pour Pt.. ° F          | -55    |
| Viscosity. cP @ -40 °C | 12100  |
| Viscosity, cSt @ 40 °C | 32     |
| cSt @ 100 °C           | 6.3    |
| Viscosity Index        | 152    |
| Color                  | Red    |

\* Due to continual product research and development, the information contained herein is based on products purchased in the U.S. and subject to change without notification. Typical properties may vary slightly.



This data sheet and the information it contains is believed to be accurate as of the date of printing. However, no warranty or representation, express or implied, is made as to its accuracy or completeness. Data provided is based on standard tests under laboratory conditions and is given as a guide only. Users are advised to ensure that they refer to the latest version of this data sheet. It is the responsibility of the user to evaluate and use products safely, to assess suitability for the intended application and to comply with all applicable laws and regulations. Safety Data Sheets are available for all of our products and should be consulted for appropriate information regarding storage, safe handling, and disposal of the product. No responsibility is taken by either AIOD or its affiliates for any damage or injury resulting from abnormal use of the material, from any failure to adhere to recommendations, or from hazards inherent in the nature of the material. All products, services and information supplied are provided under our standard conditions of sale. You should consult your local AIOD Distributor if you require any further information.



## SERVICE PRO® GLOBAL FULL SYNTHETIC MULTI-VEHICLE ATF

Manufactured with highly refined base oils and industry leading additive chemistry

Service Pro Global Full Synthetic Multi-Vehicle Automatic Transmission Fluid is suitable for use in the following applications:

| OEM/ ATF                | APPLICATION                            | OEM/ ATF                       | APPLICATION                         |
|-------------------------|--|--------------------------------|-------------------------------------|
| AISIN                   | AW-2                                   | FCA continued                  | Fiat 9.55550-AV5                    |
|                         | JWS 3309 ATF, ATF-0T4                  |                                | Fiat 9.55550-AV6                    |
|                         | JWS 3324 ATF, ATF-0WS                  |                                | MB 236.10/12, P/N 05127382AA        |
| Allison                 | C2                                     |                                | P/N 05127382                        |
|                         | C3                                     |                                | P/N 68157995AA/AB                   |
|                         | C4                                     |                                | P/N 68333587AA                      |
| ATF                     | 134                                    |                                | SP-4, P/N 68171866AA                |
|                         | 3353                                   |                                | SP-III                              |
|                         | 3100 PL085                             |                                | SP-IV, P/N 68171866AA               |
|                         | 3403-M115                              |                                | SP-IV, P/N 68171869AA               |
|                         | D971                                   | Type 7176E                     |                                     |
|                         | ETL-7045 E                             | Type 9602                      |                                     |
|                         | K17                                    | ESP-M2C138-CJ                  |                                     |
|                         | L12108                                 | ESP-M2C166-H                   |                                     |
|                         | LA 2634                                | P/N XT-10-QLV [LV], XT-10-QLVC |                                     |
|                         | M-1375.4                               | P/N XT-12-ULV [ULV]            |                                     |
|                         | M-1375.6                               | P/N XT-2-QDX [M]               |                                     |
|                         | N402                                   | P/N XT-2-QSM [Syn]             |                                     |
|                         | SP-III                                 | P/N XT-5-QM [V]                |                                     |
| Bentley                 | P/N PY112995PA                         | Ford                           | P/N XT-5-QSM [V Syn]                |
| BMW                     | ATF 3+                                 |                                | P/N XT-6-QSP [SP]                   |
|                         | ATF 7                                  |                                | P/N XT-8-QAW [Premium]              |
|                         | ATF4                                   |                                | P/N XT-9-QMM5 [FNR5]                |
|                         | ATF6                                   |                                | Spec WSS-M2C922-A1                  |
|                         | ETL-7045 and ETL-7045 E                |                                | ATF Z1, Saturn P/N 22717466         |
|                         | ETL-8072B                              |                                | AW-1, P/N 19256039                  |
|                         | LA 2634                                |                                | Dex [GM 6032M]Dex ULV, P/N 19352619 |
|                         | LT 71141                               |                                | Dex-B [GM 6032M]                    |
|                         | M-L12108                               |                                | Dex-IIC [6137M]                     |
|                         | P/N 81 22 9 400 272/275                | Dex-IID [GM 6137M]             |                                     |
| P/N 81 22 9 407 858/859 | Dex-IIIE [GM 6137M]                    |                                |                                     |
| P/N 83 22 0 024 249     | Dex-IIIF [GM 6297M]                    |                                |                                     |
| P/N 83 22 0 024 359     | Dex-IIIG [GM 6417M]                    |                                |                                     |
| P/N 83 22 0 026 922     | Dex-IIIH [GM N10055]                   |                                |                                     |
| P/N 83 22 0 142 516     | GMW 16444                              |                                |                                     |
| P/N 83 22 0 397 114     | P/N 19 40 700                          |                                |                                     |
| P/N 83 22 0 402 413     | P/N 19 40 767                          |                                |                                     |
| P/N 83 22 0 403 248/249 | P/N 21005966                           |                                |                                     |
| P/N 83 22 2 152 426     | P/N 88900925                           |                                |                                     |
| P/N 83 22 2 163 514     | P/N 9985010                            |                                |                                     |
| P/N 83 22 2 220 438/440 | P/N 9986195                            |                                |                                     |
| P/N 83 22 2 220 442     | Saturn T-IV Fluid, Saturn P/N 22689186 |                                |                                     |
| P/N 83 22 2 289 720     | Type A Suffix A                        |                                |                                     |
| P/N 83 22 2 305 396     | WS, P/N 88863400 / 88863401            |                                |                                     |
| P/N 83 22 2 305 397     | ATF DW-1 P/N 08200-9008                |                                |                                     |
| P/N 83 22 2 355 599     | ATF Type 3.0 P/N 08200-9016-A          |                                |                                     |
| P/N 83 22 2 355 601     | ATF Type 3.1 P/N 08200-9017            |                                |                                     |
| P/N 83 22 2 413 477     | ATF Z1, P/N 08200-9001                 |                                |                                     |
| P/N 83 22 7 542 290     | ATF Z1, P/N 08200-9001A                |                                |                                     |
| P/N 83 22 9 407 765     | ATF RED-1K                             |                                |                                     |
| P/N 83 22 9 407 807     | ATF SP-IV                              |                                |                                     |
| Bosch                   | Bosch TE-ML 09                         | Honda/Acura                    | Genuine ATF                         |
| Citroen                 | Z 000169756                            |                                | JWS 3314                            |
| DAIHATSU                | D3-SP                                  |                                | P/N 00232-19023                     |
| FCA                     | 8 & 9 Speed ATF, P/N 68218925AA/AB     |                                | P/N 040000C90SG                     |
|                         | ASRC                                   |                                | P/N 04500-00140                     |
|                         | ATF+                                   |                                | P/N UM040 CH20 Red-1                |
|                         | ATF+2                                  |                                | SP                                  |
|                         | ATF+3                                  |                                | SP4-M1                              |
|                         | ATF+4                                  |                                | SPH-IV                              |
|                         | AW-1, P/N 68092912AA                   |                                | SP-II                               |
|                         | P/N 68043742AA                         | SP-III                         |                                     |
|                         | Fiat 9.55550-AV1                       | SP-IV                          |                                     |
|                         | Fiat 9.55550-AV2                       | SP-IV-RR                       |                                     |
| Fiat 9.55550-AV4        | WS, spec NWS-9638                      |                                |                                     |
| Hyundai/Kia             |  |                                |                                     |
|                         |  |                                |                                     |
|                         |  |                                |                                     |
|                         |  |                                |                                     |
|                         |  |                                |                                     |
|                         |  |                                |                                     |
|                         |  |                                |                                     |
|                         |  |                                |                                     |
|                         |  |                                |                                     |
|                         |  |                                |                                     |

# SERVICE PRO® GLOBAL FULL SYNTHETIC MULTI-VEHICLE ATF

**Manufactured with highly refined base oils and industry leading additive chemistry**

**Service Pro Global Full Synthetic Multi-Vehicle Automatic Transmission Fluid is suitable for use in the following applications:**

| OEM/ ATF                          | APPLICATION                     | OEM/ ATF                                      | APPLICATION                            |
|-----------------------------------|---------------------------------|---|--|
| Isuzu                             | ATF II                          | Peugeot                                       | P/N Z 000169756                        |
|                                   | ATF III                         |   | PSA 16 350 560 80                      |
|                                   | ATF WSI                         | Porsche                                       | JWS 3309, P/N 000 043 205 28           |
|                                   | Genuine ATF                     |   | LT 71141                               |
|                                   | P/N 08200-9001                  |   | P/N 000 043 204 41                     |
| SCS                               | P/N 000 043 204 63              |   |  |
| Jaguar                            | 02JDE 26444                     |   | P/N 000 043 304 00/01                  |
|                                   | Fluid 8432                      |   | P/N 000 043 305 42                     |
|                                   | JLM 20238                       |   | P/N 000 043 305 43                     |
|                                   | JLM 20292                       | P/N 000 043 305 54                            |  |
|                                   | JLM 21044                       | P/N 000 043 306 24                            |  |
|                                   | K17, Jatco 3100 PL085           | P/N 958 300 540 00                            |  |
| JAMA                              | LT 71141                        | P/N 958 300 901 00                            |  |
|                                   | WSS-M2C922-A1                   | P/N 999 917 547 00 (A2) or P/N 000 043 205 09 |  |
| Land Rover                        | JASO M315, Class 1-A            | PSA   | AL4 / 4HP20, P/N 9730AE                |
|                                   | JASO M315, Class 1-A-LV         |   | B71 2340                               |
|                                   | ATF N402                        | Renault                                       | DP-0                                   |
| AW-1 P/N LR0022460: LV            | Matic D2                        |   |  |
| MAN                               | JWS3309US                       | SATF-D  |  |
|                                   | P/N TYK500050                   | Rolls Royce                                   | Oil No. PL 31493PA                     |
|                                   | LR023288/023289                 |   | ATF HP                                 |
| Maserati                          | 339A                            | Saab  | JWS 3309                               |
|                                   | 339D                            |   | P/N 93 160 393                         |
|                                   | 339F                            |   | P/N 93 165 147                         |
| Mazda                             | Oil No. 231603                  | Saturn  | Dex-III G                              |
|                                   | ATF A7                          |   | T-IV Fluid, P/N 22689186               |
|                                   | ATF FZ                          | Ssangyong                                     | DSIH 5M-52                             |
|                                   | ATF M-5 P/N 0000-23-ATF -M5     |   | DSIH 5M-66                             |
|                                   | ATF N-1                         | Subaru  | ATF HP, P/N K0140Y0700, P/N SOA635040  |
|                                   | ATF S-1                         |   | ATF-WS                                 |
|                                   | F-1                             |   | ATF 2326                               |
| Mercedes                          | JWS3317                         | Suzuki  | ATF 2384K                              |
|                                   | M3                              |   | ATF 3314                               |
|                                   | Type T-IV, JWS 3309 ATF         |   | ATF 3317                               |
|                                   | A 0019892203                    |   | ATF 5D06                               |
|                                   | ATF 3403-M115                   |   | Matic D                                |
|                                   | Sheet 236.1                     | Matic J                                       |  |
|                                   | Sheet 236.10                    | Matic S                                       |  |
|                                   | Sheet 236.11                    | Toyota  | ATF FZ                                 |
|                                   | Sheet 236.12                    |   | JWS 3309, Type T-IV, P/N 08886-81015   |
|                                   | Sheet 236.14                    |   | JWS 3324, ATF WS (or NWS9638)          |
|                                   | Sheet 236.15                    |   | Type D-II                              |
|                                   | Sheet 236.16                    |   | Type T                                 |
|                                   | Sheet 236.17                    |   | Type T-II                              |
|                                   | Sheet 236.2                     |   | Type T-III                             |
| Sheet 236.41                      | Volvo                           | P/N 1161521                                   |  |
| Sheet 236.5                       |                                 | P/N 1161621                                   |  |
| ATF JWS 3309, P/N 83 22 0 402 413 |                                 | P/N 1161640; P/N 1161540                      |  |
| ATF-J2                            |                                 | P/N 31 256 774, 31 256 775                    |  |
| ATF-J3                            |                                 | P/N 31 492 172, 31 492 173                    |  |
| Mitsubishi                        | Dia Queen ATF-MA1, P/N MZ320775 | VW/Audi                                       | G 052 162 (-A1, -A2) [AG4]             |
|                                   | Dia Queen ATF-PA, P/N 4030401   |   | G 052 533                              |
|                                   | Dia Queen AW                    |   | G 052 990 A2                           |
|                                   | DII/DIII                        |   | G 053 001 A2                           |
|                                   | SP, P/N MS991156                |   | G 055 005 A2                           |
|                                   | SP-II                           |   | G 055 025 (-A1, -A2)                   |
|                                   | SP-III                          |   | G 055 162 A2 or A6                     |
|                                   | SP-IV                           |   | G 055 540 A2                           |
| Nissan                            | Fluid A                         |   | G 060 162 A2                           |
|                                   | Matic D                         |   | G 060 540 A2                           |
|                                   | Matic J, P/N 999MP-MTJ00P       | G US 000 162                                  |  |
|                                   | Matic K                         | LT 71141                                      |  |
|                                   | Matic P, P/N 999MP-MTP10P       | ZF  | LifeguardFluid 5 (ZF No. S671 090 170) |
|                                   | Matic R, P/N 999MP-MTR00P       |   | LifeguardFluid 6 (ZF No. S671 090 255) |
|                                   | Matic S, P/N 999MP-MTS00P       |   | LifeguardFluid 8 (ZF No. S671 090 312) |
|                                   | Matic W                         |   | LifeguardFluid 9 (ZF No. AA01.500.001) |
|                                   | N402                            |   | TE-ML 11A and TE-ML 11B                |
|                                   |                                 |   | 8 & 9 Speed ATF, P/N 68218925AA/AB     |