#### SAFETY DATA SHEET

## SECTION I IDENTIFICATION

P/N: 5187

PRODUCT NAME: Service Pro Premium Windshield Washer Fluid -35F

Pg. 1/6 Version 1 2/25/2025

CHEMICAL FAMILY: ALCOHOL-BASED CLEANER

Fluid 2064

Meets GHS requirements

MANUFACTURERS NAME: CUL-MAC INDUSTRIES

ADDRESS: 3720 S. VENOY RD.

WAYNE, MI 48184

PHONE: (800) 626-5089 EMERGENCY PHONE (800) 451-8346

#### SECTION II HAZARD IDENTIFICATION



PRODUCT CODE:







HAZARD STATEMENT: This material can not be made non-poisonous, may be fatal if swallowed.

May cause damage to the eyes and central nervous system.

Flammable liquid and vapor.

ROUTES OF ENTRY: Skin, Eyes, Ingestion, Inhalation

TARGET ORGANS: Central nervous system, Eyes

HAZARD H226: Flammable Liquid and Vapour

STATEMENTS: H302: Harmful if Swallowed

**H313:** May be Harmful in Contact with Skin

H320: Causes Eye IrritationH333: May be harmful if inhaled

**H373:** May Cause Damage to Organs Through Prolonged or Repeated Exposure

PRECAUTIONARY P101: Keep out of reach of Children STATEMENTS: P233: Keep container tightly closed

**P234:** Keep only in original container

P260 + 260: Do not breathe mist, vapors', spray. Do not get in eyes, on skin or on clothing.

**P264:** Wash Thoroughly After Handling

**P280:** Wear Protective Gloves/Eye Protection/Face Protection

 ${\bf RESPONSE} \qquad \qquad {\bf P301+310:} \qquad \qquad {\bf IF~SWALLOWED: Immediately~call~a~POISON~CENTER~or~doctor/physician.}$ 

P305 + 351 + 338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing

P302 + 352 + 313: IF ON SKIN: Wash with soap and water. If skin irritation occurs: Get medical attention.

P304 + 340 + 314: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable

for breathing. Get medical advice/attention if you feel unwell.

P309 + 310: If exposed or you feel unwell: Immediately call a POISON CENTER or doctor/physician.

STORAGE P403 + 233: Store in a well ventilated place. Keep container tightly closed.

PRODUCT NAME:

# Service Pro Premium Windshield Washer Fluid -35F

PRODUCT CODE: CHEMICAL FAMILY:

Fluid 2064 P/N: 5187

Version 1 2/25/2025

Pg. 2/6

Meets GHS requirements

## SECTION II HAZARD IDENTIFICATION CONTINUED

**DISPOSAL** P501: Dispose of contents/container in accordance with all local, state, regional

ALCOHOL-BASED CLEANER

and national regulations

CARCINOGENICITY: Not listed by OSHA, IARC, OR NTP

SECTION III COMPOSITION / INFORMATION ON INGREDIENTS				
CHEMICAL:	% by wt.	CAS#	OSHA PEL	ACGIH TLV
METHANOL	25 - 35	67-56-1	200 ppm	200 TWA
ETHYLENE GLYCOL	1 - 5	107-21-1	100 mg/m³ STEL	100 mg/m <sup>3</sup> TWA
Proprietary Surfactant Blend	1 - 5	N/A		

# SECTION IV FIRST AID MEASURES

FIRST AID MEASURES

**SKIN CONTACT:** Take off any contaminated clothing. Immediately rinse skin with plenty of water for 15-20 minutes.

if skin irritation occurs call a POISON CENTER or doctor/physician.

EYE CONTACT: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses

present, after the first 5 minutes, and then continue rinsing. Call a POISON CENTER or doctor

for treatment, advice if irritation persists.

INHALATION: Remove person to fresh air and keep at rest in a position comfortable for breathing. Get medical

attention if person feels unwell.

INGESTION: If person is conscious give 1 or 2 glasses of water. Never give anything by mouth to an unconscious person.

Then call POISON CENTER or doctor/physician immediately for treatment advice/method to induce vomiting.

**GET** prompt medical attention

DELAYED SYMPTOMS

**SKIN CONTACT:** Repeated or prolonged contact can result in skin absorption which may cause irritation, itching,

dermatitis.

**EYE CONTACT:** Causes eye irritation including pain, blinking, redness and sensitivity to light

INHALATION: Symptoms may include dizziness, headache, nausea and loss of coordination along with sore throat,

shortness of breath and coughing/congestion.

INGESTION: May be fatal or cause blindness if swallowed. Other symptoms include irritation of mucous membranes,

nausea, headache, vomiting, dizziness, and coordination problems, blurred or snowy vision.

PRODUCT NAME: Service Pro Premium Windshield Washer Fluid -35F

Pg. 3/6 PRODUCT CODE: Fluid 2064 Version 1 ALCOHOL-BASED CLEANER CHEMICAL FAMILY: 2/25/2025

Meets GHS requirements

## SECTION V FIRE FIGHTING MEASURES

FLASH POINT: 102.2° F

**EXTINGUISHING MEDIA:** Dry Chemical; Alcohol Foam; Carbon Dioxide

SPECIAL PROCEDURES: Stay Upwind. Water spray may be ineffective on fire but can protect fire-fighters and

> cool closed containers. If water is used, use fog nozzles. Do not enter confined spaces without full bunker gear. Use NIOSH approved positive-pressure self-contained breathing apparatus. Do not walk through any spilled chemicals.

**UNUSUAL HAZARDS:** Methanol burns with a clear flame and can be diffucult to see in daylight.

Vapors can travel long distances along the ground to a source of ignition.

#### SECTION VI ACCIDENTAL RELEASE MEASURES

SPILL OR LEAK PROCEDURES: Eliminate all ignition sources. Collect liquid with explosion proof pumps. Dilute

with water for small spills, collect with a non-combustible solvent. Avoid release into the environment. Prevent from entering into soil, sewers, waterways and groundwater.

## SECTION VII HANDLING & STORAGE

HANDLING: Keep away from oxidizers, heat, sparks, open flames and electrical equipment. Use

> only with adequate ventilation and avoid breathing vapors. Do not get on skin or in eyes. Wear the appropriate personal protection equipment when using. Empty containers should be treated as full since residue will remain and is equally hazardous.

STORAGE: Store in a well-ventilated area away from heat, sparks, open flames and strong

oxidizers. Do not store above 120°F and keep containers tightly sealed and

stored upright to prevent leaks.

## SECTION VIII EXPOSURE CONTROLS - PERSONAL PROTECTION





**VENTILATION:** Local exhaust.

RESPIRATORY PROTECTION: Not generally needed

> **GLOVES:** Butyl and nitrile gloves.

EYE PROTECTION: Chemical splash goggles when transferring is taking place

CLOTHING AND FOOTWEAR Not generally needed PRODUCT NAME: Service Pro Premium Windshield Washer Fluid -35F

PRODUCT CODE: Fluid 2064 P/N: 5187 Version 1
CHEMICAL FAMILY: ALCOHOL-BASED CLEANER 2/25/2025

Meets GHS requirements

Pg. 4/6

SECTION IX PHYSICAL/CHEMICAL CHARACTERISTICS

**BOILING POINT:** 188.6° F 8.0 - 9.0pH: FREEZING POINT: -35° F SPECIFIC GRAVITY: 0.94 **VAPOR PRESSURE:** N/A PERCENT VOLATILE: 99 PURPLE **VAPOR DENSITY** (AIR = 1): APPEARANCE: < 1 **SOLUBILITY IN WATER:** COMPLETE ODOR: ALCOHOL

**EVAPORATION RATE:** > 1

 $(BUTYL\ ACETATE = 1)$ 

## SECTION X STABILITY AND REACTIVITY DATA

STABILITY: Stable under normal conditions.

HAZARDOUS POLYMERIZATION: Will not occur.

INCOMPATIBILITY: Strong oxidizers, strong acids, and strong bases. Keep (CONDITIONS TO AVOID) away from heat, sparks, open flame and static discharge.

HAZARDOUS DECOMPOSITION: Carbon Monoxide, Carbon Dioxide, Nitrogen Oxides.

#### SECTION XI TOXICOLOGICAL INFORMATION

Methanol:Acute oral toxicity (LD50) [Rat]: 5628 mg/kg (IUCLID)CAS# 67-56-1Acute oral LDLO [Human]: 143 mg/kg (RTECS)

Acute dermal toxicity (LD50) [Rabbit]: 15800 mg/kg (RTECS)
Acute toxicity of the vapor (LC50) [Rat]: 64000 ppm 4 hours (RTECS)

 Ethylene Glycol:
 Oral, rat: LD50 = 5840 mg/kg

 CAS# 107-21-1
 Skin, rabbit: LD50 = 9530 mg/kg

Inhalation, rat: LD50 = 10876 mg/kg

Skin Irritation: Irritation, may cause burns on long term exposure

Eye Irritation: Risk of serious damage to eyes. Risk of blindness

 $Genotoxicity\ In\ Vitro:$ 

Ames Test: Negative (IUCLID)

Mutagenicity: Numerous endpoints were reported in RTECS which indicate

mutangenicity and developmental effects in various species of bacteria, rats, and mice via oral, dermal, inhalation and intraperitoneal routes and levels of exposure.

Target Organs:

Single Exposure Central Nervous System

Repeated Exposure Central Nervous System, Skin, Eyes, Kindeys

NOTE: Symptoms may be delayed. Handle using good health practices.

PRODUCT NAME: Service Pro Premium Windshield Washer Fluid -35F

PRODUCT CODE: Fluid 2064 P/N: 5187 Version 1
CHEMICAL FAMILY: ALCOHOL-BASED CLEANER 2/25/2025

Meets GHS requirements

Pg. 5/6

# SECTION XII ECOLOGICAL INFORMATION

Methanol:Toxicity in Fish LC50:15400 mg/L (ECOTOX: 96 hours, Bluegill Sunfish)CAS# 67-56-1Toxicity to Daphnia:>10000 mg/L (IUCLID: 24 hours, Daphnia Magna)

Toxicity to Algae: 8000 mg/L (IUCLID: 16 hours, Scenedesmus Quadricauda)
Toxicity to Bacteria: 6600 mg/L (IUCLID: 16 hours, Pseudomonas Flurorescens)

Readily Biodegradable; 99% (OECD Test Guidelines 301D, 30 day)

BOD: 600-1200 bg/g (IUCLID) COD: 1400 mg/g (IUCLID)

Ethylene Glycol: Ecotoxicity in water (LC50): 34,440 mg/L, 96 hours, [Water Fleas]

CAS# 107-21-1

Mobility in Soil: This material is a mobile liquid

Do not allow this product to enter surface waters, wastewater or soil. Stability in water reported to be 2.2 years (IUCLID)

## SECTION XIII DISPOSAL CONSIDERATIONS

**WASTE DESCRIPTION:** Wastes must be tested using methods described in 40 CFR Part 261 to

determine if it meets applicable definitions of hazardous wastes.

GENERAL DISPOSAL CONSIDERATIONS: Prevent methanol from entering sewers, confined spaces, drains, or

waterways. Clean up and dispose of waste in accordance with all federal,

state and local environmental regulations.

## SECTION XIV TRANSPORT INFORMATION

 $\textbf{U.S. Department of Transportation} \ (\textbf{DOT})$ 

PROPER SHIPPING NAME (DOT): CLEANING COMPOUND, LIQUID (GALLONS - LIMITED QUANTITY)

 $ALCOHOLS, FLAMMABLE, TOXIC, N.O.S. \ (methanol\ solution)\ (BULK)$ 

**UN-NO.(DOT):** UN1230

TRANSPORT HAZARD CLASS(ES) (DOT): 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

PACKING GROUP (DOT): III - Minor Danger

SUBSIDIARY RISK (DOT): N/A

HAZARD LABELS (DOT): 3 - Flammable liquid

UN Proper Shipping Name: packaging not over 5L (1.3 gallons) Limited Quantity/Consumer Commodity, ORM-D

per 49CFR 173.150 (b) (3) & 173.50 (c)



EMERGENCY RESPONSE GUIDE (ERG) NUMBER: 131

PRODUCT NAME: Service Pro Premium Windshield Washer Fluid -35F

Pg. 6/6 PRODUCT CODE: Fluid 2064 P/N: 5187 Version 1 ALCOHOL-BASED CLEANER CHEMICAL FAMILY: 2/25/2025

Meets GHS requirements

## SECTION XIV TRANSPORT INFORMATION (Continued)

OTHER INFORMATION: No supplementary information available

TRANSPORT BY SEA

UN-NO. (IMDG): 1986

PROPER SHIPPING NAME (IMDG): ALCOHOLS, FLAMMABLE, TOXIC, N.O.S. (methanol solution)

CLASS (IMDG): 3 - Flammable Liquids

PACKING GROUP (IMDG): III - substances presenting low danger

SUBSIDIARY RISK (IMDG): N/A LIMITED QUANTITIES (IMDG): 5 L

AIR TRANSPORT

UN-NO. (IATA): 1986

PROPER SHIPPING NAME (IATA): ALCOHOLS, FLAMMABLE, TOXIC, N.O.S. (methanol solution)

CLASS (IATA): 3 - Flammable Liquids **PACKING GROUP (IATA):** III - Minor Danger

**SUBSIDIARY RISK (IATA):** N/A

## SECTION XV REGULATORY INFORMATION

**U.S. Federal Regulations** 

OSHA HAZARDOUS CHEMICAL: Yes **SARA 302 COMPONENTS:** None

> SARA 311/312: Immediate (X) Delayed (X) Fire (X) Reactive ()

> > Sudden release of Pressure () Methanol CAS# 67-56-1

**SARA 313 COMPONENTS:** Ethylene Glycol CAS# 107-21-1

TSCA STATUS The intentional ingredients of this product are listed

CERCLA RQ 5000 LBS.

State and Local Regulations

**CALIFORNIA PROPOSITION 65:** The following statement is made in order to comply with the California

> Safe Drinking Water and Toxic Enforcment Act of 1986. This product contains a chemical known to the state of California to cause reproductive harm.

**New Jersey RTK Label Information** Methyl Alcohol (CAS: 67-56-1) Pennyslvania RTK Label Information Methanol (CAS: 67-56-1)

**Atmospheric Standards** The Clean Air Act Ammendments of 1990 list Methanol as a hazardous air pollutant.

## SECTION XVI OTHER INFORMATION

HMIS: Health = 2; Flammability = 3; Reactivity = 0; Personal Protection = B:

## DISCLAIMER

The information herein has been from sources believed to be accurate, reliable and up to date to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources and do not make any warranties nor assume any liability from its use or misuse.

End of SDS